DATE: 16 Nov 99

STATEMENT OF WORK (SOW)

For

Inspection and Repair Only As Necessary (IROAN)

of the

AN/TPS-63 (B)

Electron Tube, Traveling Wave NSN 5960-01-027-6954

SOW-00-844-2-8B255B-2/1

1. This SOW identifies the work effort that shall be performed by the Contractor to IROAN the Electron Tube, Traveling Wave NSN 5960-01-027-6954, part number 138C660H01/CAGE 97942.

2. The attached manuscript has been reviewed and is concurred upon by the following signers:

LAWRENCE E HERNDON

Weapon Systems Manager

Radar Systems Section (Code 844-2)

MARCORSYSCOM, Albany, GA

ACK TORRENCE

Team Leader

Inventory Management Specialist

(Code 844-2)

MARCORSYSCOM, Albany, GA

RICHARD E IONES

Team Leader

Equipment Specialist

(Code 844-2)

MARCORSYSCOM, Albany, GA

Electron Tube, Traveling Wave NSN 5960-01-027-6954

- Scope. This SOW identifies the work effort that shall be performed by the Contractor to repair the Electron Tube, Traveling Wave NSN 5960-01-027-6954, part number 138C660H01/CAGE 97942. This document contains requirements to restore the Electron Tube, Traveling Wave to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining.
- 2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified.
- 2.1Military Standards

MIL-STD-2073-1C DOD Standard Practice for Military Packaging DOD Standard Practice for Military Marking MIL-STD-129

Military Standards (For Reference Only)

MIL-STD-973 Configuration Management

Other Government Documents and Publications. The latest issues of those documents cited below shall be used.

138C660

Source Control Drawing, Electron Tube, Traveling

Wave

PDS-22325

Specification for 6 KW L-Band Traveling Wave Tube

2.3 **Industry Standards**

ANSI/ISO/ASQC Q9003-1994 Quality Systems

(Copies of military standards and specifications are available from the DOD Single Stock Point, Defense Automated Printing Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radford Blvd., Albany, GA 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings shall be obtained from: Life Cycle Management Center, Attn (Code 825-3), 814 Radford Blvd Suite 20320, Albany GA 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.) 3.0 Requirements.

The Contractor shall repair the Electron Tube, Traveling Wave strictly in accordance with the requirements as specified in 138C660 and PDS-22325 (CAGE 97942). Additionally the Contractor shall be responsible for developing a test plan, and documenting the test results in a Test Data Report (TDR).

- 3.2 Packaging, Handling, Storage and Transportation (PHS&T)
- 3.2.1 The Contractor shall be responsible for preservation and packaging of items to be delivered under the terms of this SOW. Items being prepared for long term storage or overseas (OCONUS) shipment shall be in accordance with level "A" requirements of MIL-STD-2073-1C, Appendix A, Table A.VI, Electronic Equipment. Items being prepared for immediate use and domestic (CONUS) delivery shall be in accordance with level "B" requirements. Level "A" preservation and packaging shall normally be required, due to the anticipated long term storage requirements. Exceptions (items that have a confirmed immediate use CONUS requirement) will be identified, in writing, by the WSM.
- 3.2.2 Marking shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for, and delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the predesignated site(s). The Marine Corps will be responsible for transportation costs associated with shipping and the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The contractor shall apply configuration control to established configuration items. Deviations from this established baseline configuration shall not be allowed without the express written approval of the Weapon System Manager (WSM) (Code 844-2). All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-STD-973 (paragraph 5.4.2 and Appendix D) may be used as a guide. If necessary to temporarily depart from the authorized configuration baseline, the contractor shall prepare and submit a Request for Deviation or Request for Waiver. MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) may be used as a guide.
- 3.4 Government Furnished Equipment (GFE) and Government Furnished Materiel (GFM) The Management Control Activity (MCA/Code 820) will coordinate Government Furnished Equipment/Government Furnished Material (GFE/GFM) requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE/GFM Accountability Agreement to the Contractor for signature to establish a chain of custody and identify property responsibilities for Marine Corps Assets. The Contractor shall report receipt of all GFE/GFM, and report consumption of GFM to the MCA. The MCA, in conjunction with the WSM, reserve the right to deny any requests for GFE/GFM. Under no circumstances shall such denial form a basis for either work stoppages or delays in delivery.
- 3.5 <u>Quality Assurance Provisions</u>. The Contractor shall establish and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.
- 4.0 <u>Reports.</u> The Contractor shall develop a Test Data Report (TDR), based on test requirements developed by the Contractor (in accordance with this SOW), which references this SOW, the NSN, part number, and serial number of the Electron Tube, Traveling Wave. Upon request, the Contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the WSM. Electronic address is "<u>MbMatcom844-2@matcom.usmc.mil</u>" Mailing address is:

Commander, Attn (Code 844-2), Marine Corps Systems Command, 814 Radford Boulevard Suite 20343, Albany, GA 31707-0343. Facsimiles may be sent to (912) 439-5498 or DSN 567-5498, attention Weapons System Manager, Code 844-2.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to complete form to the above address. Send completed form to the downward of the contraction Officer for the ContractIPR No listed in Rick F.

	A. CONTRACT LINE ITEM NO. B. EXHIB			C. CATEGORY:						
					OTHER					
D. SYSTEM/ITEM E. CONTRACT/PR NO. F. CONTRACT/PR NO. F. CONTRACT/PR NO.				RACTOR						
DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					
A001		gineering	Change Prop			Configuration Ma	nageme	ent		
AUTHORITY (Data Acquisit			5. CONTRACT REFERE			6. REQUIRING OFFICE MCLBA (825)				
	CMAN-80639B	40 5050050		SOW 3.3			A (825)) —		
DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUENC	SREQ	12. DATE OF FIRST SUBMIS		14. DISTRIBUTION				
APP CODE	_	11, AS OF DA	•	13. DATE OF SUBSEQUENT		a. Addressee		b. COPIES Final		
	Α			SUBMISSION		a. Abontage	Draft	Reg	Repro	
REMARKS						MCLBA (825-2)	0	1	0	
ik 4 - Contrac	ctor format is auti	horized.				(====)				
lks 10 & 12 -	ECPs shall be su	ihmitted t	for all proposi	ed changes whic	1					
rmanently af	ECPs shall be suffect the baseline as a g	of a confi	iguration item	. MIL-STD-973	•		1			
							1			
CPs will be receipt by the C	eviewed and disp Government.	osition de	etermined with	hin 30 calendar o	lays upon		1			
							-			
bmatcommco	transmitted via E- onfigmngmnt@ma	atcom.usr	nc.mil	auuress.			-		-	
istribution Sta	atement A: Appi	oved for	public release	e, distribution is	unlimited					
							<u> </u>			
							ļ			
							<u> </u>		ļ	
							-			
							+		·	
						15. TOTAL	0	1	0	
PREPARED BY		10	H. DATE	I. APPROVED	ВУ	15. TOTAL	0 J. DATI	<u> </u>	0	

17. PRICE GROUP

10. ESTIMATED

TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department of Defense, Washington of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not respisal a currently valid OMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contractiff R No. Issed in Block E.

	Configuration Mai REDUINING OFFICE MCLBA				
AN/TPS-63(B) Electron Tube DATA ITEM NO. 2. TITLE OF DATA ITEM 2. SUBTITLE A002 Request For Deviation C	Configuration Mai REDUINING OFFICE MCLBA	nageme			
A002 Request For Deviation C	REDUIRING OFFICE MCLB/	nageme			
	REDUIRING OFFICE MCLB/	nageme			
	REDUIRING OFFICE MCLB/	nageme			
I. AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFERENCE 6. F	MCLBA		:111		
DI-CMAN-80640B SOW 3.3	DISTRIBUTION	A (825))		
	14. DISTRIBUTION				
ASREQ SEE BLK 16		b. COPIES			
A APP CODE 11. AS OF DATE 13. DATE OF SUBSEQUENT SUBMISSION	a. ADDRESSEE	Draft	Final		
B. REMARKS	(CLDA (925.2)		Reg	Repro	
Blk 4 - Contractor format is authorized.	ICLBA (825-2)	0	1	0	
Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver conconforming material which does not meet prescribed configuration locumentation.					
RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.					
• •					
RFDs shall be transmitted via E-Mail to the following address: mbmatcommconfigmngmnt@matcom.usmc.mil		ļ			
<u> </u>				<u> </u>	
Distribution Statement A: Approved for public release, distribution is unlimited	·			-	
		+ -			
<u></u>					
<u></u>				 	
		 			
		 _ 		 	
					
 -				<u> </u>	
				 -	
		 	_	-	
					
		<u> </u>			
				-	
 		+		 	
 		\vdash			
		1		1	
	TOTAL -	0	1	0	
G. PREPARED BY H. DATE I. APPROVED BY	/	J. DATE			
WIMM & BATICALIN OCT 18 1999 5		251	TOA	941	
DD FORM 1423-1, AUG 96 (EG) PREVIOUS EDITION MAY BE USED.		Page	معصر	Pane	

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other espect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202 4302. Respondents should be aware that notwithstanding any other provision of least possible to any penalty for failing to comply with a collection of information if it does not display a currently valid OMS control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Control-Operations.

A. CONTRACT LINE ITEM NO. B. EXAMPLE D. SYSTEM/ITEM		B. EXHIBIT		C. CATEGORY:	ОТИЕБ	OTHER X				
			E. CONTRACT/PR		F. CONTRA					
AN/TPS-0	63(B) Electron T	ube								
DATA ITEM NO.	2. TITLE OF DATA ITEM		1		3. SUBTITLE					
4.002						a				
A003		Reques	t For Waiver		l	Configuration Ma	nageme	ent		
. AUTHORITY (Data Acquish DI_C	CMAN-80641B		5. CONTRACT REFEREN	SOW 3.3		6. REQUIRING OFFICE MCLB	A (825)			
	9. DIST STATEMENT	10. FREQUENC		12. DATE OF FIRST SUBMISSI	ON	14. DISTRIBUTION	- (02 <i>3</i>)	'		
LT	REQUIRED		SREQ	SEE BLK 13. DATE OF SUBSEQUENT	16	14. DISTRIBUTION	b. COPIES			
APP CODE		11. AS OF DAT	TE			a. Addréssee	Final			
	Α			SUBMISSION			Draft	Reg	Reg Repro	
B. REMARKS		•				MCLBA (825-2)	0	1	0	
ilk 4 - Contrac	ctor format is aut	thorized.								
Ilks 10 & 12 - onconforming locumentation.	RFWs shall be s material which	submitted does not r	to obtain auth neet prescribe	orization to delived configuration	er					
				hin 30 calendar d						
	transmitted via I nfigmngmnt@m						-			
Distribution Sta	atement A: App.	roved for	public release	, distribution is u	nlimited					
	**		-							
							+			
							+ +			
							+			
							+-			
									-	
							+			
							-			
							+			
							+			
							+			
							+ -			
						-	+ +			
DDFD 4 DFD T**						15. TOTAL	0	1	0	
. PREPARED BY	100	11	H. DATE	I. APPROVED B	Y	1	J. DATE			
[V] [Mnn	9 81111	d//10	OCT 18	1000			ر ـ ر	1-1	en	
<i>()</i>	AUG 96 (EG)	ung		EVIOUS EDITION MAY BE	. /	une-	<u> 100</u>	101	<u>77</u>	

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE